

艾博生物医药 ABON Bio	质量体系技术规范 Quality System Technical Specification	Document No. MS-0119
		Version: F Revision: 00
文件名称 Document Name: Material Safety Data Sheet DOA Test Device		Page 1 of 5

编者 Originator: <i>Yehi Zhao</i>	日期 Date: <i>Dec 10, 2009</i>	编制部门 Prepared Department: <i>RA</i>
审核人 Reviewed by: <i>Sameline St.</i>	日期 Date: <i>2009.12.16</i>	审核部门 Reviewed Department: <i>RA</i>
批准人 Approved by: <i>Roger King</i>	日期 Date: <i>Dec. 16, 2009</i>	批准部门 Approved Department: <i>RA</i>
发放号 Distribution Number:	生效日期 Effective Date: 2009年12月16日	

MATERIAL SAFETY DATA SHEET DOA Test Device

According to REACH Regulation (EC) No. 1907/2006, Annex II

1. Identification of the substance/preparation and of the company/undertaking

Identification of the substance or preparation

Trade name: *Innovacon/InstAlert/SureStep Drug of Abuse, Single Drug Strips, Devices, Dip Cards and Cups (Amphetamines, Acetaminophen, Barbiturates, Buprenorphine, Benzodiazepines, Cocaine, Cotinine, 2-ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine (EDDP)(Methadone Metabolite), Methamphetamine, MDMA, Morphine, Methadone, Methaqualone, Opiates, Oxycodone, Phencyclidine, Propoxyphene, Tramadol, Tricyclic Antidepressants, Marijuana)*

Reference No.: DAM-101, DAM-102, DAM-111, DAM-114, DAM-A101, DAM-A102, DAM-A114, DAM-U101, DAM-U102, DAM-U111, DAM-W111, DAM-W114, DAC-101, DAC-102, DAC-111, DBA-101, DBA-102, DBA-111, DBA-114, DBA-W111, DBA-W114, DBU-101, DBU-102, DBU-111, DBZ-101, DBZ-102, DBZ-111, DBZ-114, DBZ-A101, DBZ-A102, DBZ-A111, DBZ-W101, DBZ-W111, DCO-101, DCO-102, DCO-111, DCO-114, DCO-U101, DCO-U102, DCO-U111, DCO-U114, DCO-W111, DCO-W114, DCT-102, DCT-111, DED-101, DED-102, DED-111, DED-114, DED-A101, DED-A102, DED-A111, DMA-101, DMA-102, DMA-111, DMA-114, DMA-U101, DMA-U102, DMA-U111, DMA-U114, DMA-W114, DME-101, DME-102, DME-111, DME-A101, DME-A102, DME-A111, DME-U101, DME-U102, DME-U111, DMD-101, DMD-102, DMD-111, DMD-114, DMO-101, DMO-102, DMO-111, DMO-114, DMO-W111, DMO-W114, DMT-101, DMT-102, DMT-111, DMT-114, DMT-W111, DMT-W114, DMQ-101, DMQ-102, DMQ-111, DOP-101, DOP-102, DOP-111, DOP-114, DOP-W111, DOP-W114, DOX-101, DOX-102, DOX-111, DOX-114, DPC-101, DPC-102, DPC-111, DPC-114, DPC-W111, DPC-W114, DPP-101, DPP-102, DPP-111, DPP-114, DTC-101, DTC-102, DTC-111, DTC-114, DTC-W111, DTC-W114, DTH-101, DTH-102, DTH-102H, DTH-111, DTH-114, DTH-A101, DTH-A102, DTH-A111, DTH-B101, DTH-B102, DTH-B111, DTH-C101, DTH-C102, DTH-C111, DTH-W111, DTH-W114, DTR-101, DTR-102, DTR-111, DTR-114, DXX 1x4, DOA 1x5, DXX 1x7

Use of the substance/preparation: In vitro diagnostic medical device. For professional use only.

Company/undertaking identification:

Innovacon, Inc.
9975 Summers Ridge Road
San Diego,
CA 92121, USA
Tel: +1-321-441-7200
Fax: +1 321-441-7400
Email: info@innovaconinc.com

Further information obtainable from: For further information, contact your local distributor/supplier.

Emergency telephone: Biosite Environmental Health & Safety Team;
Walt Kizer + (0) 1 858-761-8915; Matt Rowe + (0) 1 858-449-2314

艾博生物医药 ABON Bio	质量体系技术规范 Quality System Technical Specification	Document No. MS-0119
		Version: F Revision: 00
文件名称 Document Name: Material Safety Data Sheet DOA Test Device		Page 2 of 5

2. Hazards identification

Hazard description:

Preparation not classified as dangerous according to Directive 1999/45/EC.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

Classification according to OSHA Hazard Communication Standard 29 CFR 1910.1200:

As an article, the device is exempt from OSHA's Hazard Communication Standard 29 CFR 1910.1200.

3. Composition/information on ingredients

Chemical characterisation

Description:

In vitro diagnostics medical device. Test strip impregnated with dried chemical / biochemical reagents.

Dangerous components:

Component	CAS No.	EINECS No.	Classification	Concentration
Tris (hydroxymethyl) aminomethane	77-86-1	201-064-4	Xi, R 36/37/38	2 – 10 %

Additional information:

Each device is packaged in a foil pouch.
For the wording of the listed risk phrases refer to section 16.

4. First-aid measures

General Information:

The following first aid measures are only relevant in the event of serious misuse, whereby the device is disassembled and there is exposure to the chemicals in the test strip.

After skin contact:

Wash with soap and water and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water.

After ingestion:

If desiccant or other components are swallowed seek medical attention.

5. Fire-fighting measures

Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire-extinguishing methods suitable to surrounding conditions.

Special hazards caused by the substance, its products of combustion or resulting gases:

In case of fire, the following can be released: Hazardous fumes and vapours, Carbon oxides (CO_x), Nitrogen oxides (NO_x),

Protective equipment:

Wear full protective suit and self-contained respiratory protective device when extinguishing fires.

Additional information:

The device contains combustible materials.

6. Accidental release measures

Person-related safety precautions:

Refer to Section 8 for protective measures when handling the spillage.

Measures for environmental protection:

艾博生物医药 ABON Bio	质量体系技术规范 Quality System Technical Specification	Document No. MS-0119
		Version: F Revision: 00
文件名称 Document Name: Material Safety Data Sheet DOA Test Device		Page 3 of 5

Avoid release to the environment.

Measures for cleaning/collecting:

Collect material and dispose of as waste according to Section 13.

7. Handling and storage

Information for safe handling:

Keep out of reach of children.

Storage:

Store in the original container at 2...30°C.

Requirements to be met by storerooms and receptacles:

No special requirements.

8. Exposure controls/personal protection

Ingredients with limit values that require monitoring in the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored in the workplace.

Additional information:

The lists valid during the creation of this MSDS were used as a basis for this assessment.

Personal protective equipment:

General protective and hygienic measures:

Specimens should be handled as potentially infectious materials. Refer to EU directive 2000/54EC or US regulation 29 CFR 1910.1030 for information on handling biohazardous materials.

Wash hands before breaks and at the end of work. Clean work areas with hypochlorite or other disinfecting agent.

Respiratory protection:

Not required, unless there is a risk of splashing or aerosol generation during sample handling.

Protection of hands:

Disposable gloves (for sample handling)

Material of gloves: Latex/natural rubber.

Penetration time of glove material: Glove resistance is not critical as the gloves are intended to provide protection against the sample material.

Eye protection:

Not required, unless there is a risk of splashing or aerosol generation during sample handling.

Body protection:

Lab coat

9. Physical and chemical properties

General Information

Form: The device is an article containing solid components

Appearance: Laminated test strip, which may be housed in a plastic holder.

Odour: Odourless

Flash point: Not applicable.

Self-igniting: Product is not self-igniting.

Danger of explosion: Product does not present an explosion hazard.

10. Stability and reactivity

Stability: The product is stable in accordance with the recommended storage conditions.

Materials to be avoided: None

Hazardous reactions: No dangerous reactions known.

Hazardous decomposition products: No dangerous decomposition products known.

艾博生物医药 ABON Bio	质量体系技术规范 Quality System Technical Specification	Document No. MS-0119
		Version: F Revision: 00
文件名称 Document Name: Material Safety Data Sheet DOA Test Device		Page 4 of 5

11. Toxicological information

Acute toxicity:

Quantitative data on the toxic effects of this product is not available.

Primary effects:

After skin contact: No irritating effects anticipated.

After eye contact: No irritating effects anticipated.

Sensitisation: No sensitising effects known.

12. Ecological information

Environmental Toxicity:

Quantitative data on the toxic effects of this product is not available.

Persistence and Degradability:

The device contains plastic and other components that are not readily degradable.

13. Disposal considerations

Product:

Used devices and other contaminated materials should be disposed of as potentially biohazardous waste.

To ensure compliance with anti-pollution and other laws of the country concerned, we recommend that you contact the relevant (local) authorities and/or an approved waste-disposal company for information.

European waste catalogue:

18 01 03 wastes whose collection and disposal is subject to special requirements in order to prevent infection.

Packaging:

Disposal must be made in accordance with local waste management regulations.

Non-contaminated packaging materials may be recycled. Contact your local service providers for further information.

14. Transport information

Land transport ADR/RID (cross-border)

Not regulated for transport.

US DOT Transport Regulations:

Not regulated for transport.

Maritime transport IMDG:

Not regulated for transport.

Marine pollutant: No

Air transport ICAO-TI and IATA-DGR:

Not regulated for transport.

15. Regulatory information

Labelling according to EU guidelines:

Safety data sheet available for professional user on request.

Note:

艾博生物医药 ABON Bio	质量体系技术规范 Quality System Technical Specification	Document No. MS-0119
		Version: F Revision: 00
文件名称 Document Name: Material Safety Data Sheet DOA Test Device		Page 5 of 5

The preparation is exempt from the above labelling requirements in accordance to Article 12.2 of Directive 99/45/EC as the form in which it is placed on the market does not present any significant risk to man or the environment when used according to the instructions for use.

US Hazard warnings according to 16 CFR 1600 and ANSI Standard Z129.1:

Not required.

Chemical inventory listings relevant to US regulations:

Carcinogen listings

IARC: None of the ingredients is listed.
NTP: None of the ingredients is listed.
ACGIH: None of the ingredients is listed.
OSHA: None of the ingredients is listed.
EPA None of the ingredients is listed.

Californian Proposition 65

Chemicals known to cause cancer: None of the ingredients is listed.
Chemicals known to cause reproductive toxicity: None of the ingredients is listed.

SARA

Section 355 (extremely hazardous substances): Sodium azide (trace).
Section 313 (specific toxic chemical listings): Sodium azide (trace).

16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Relevant R-phrases

22 Harmful if swallowed.
36/37/38 Irritating to eyes, respiratory system and skin.
41 Risk of serious damage to eyes